

FIG. 1





FIG. 2



100-102282-0121200

FIG. 3

Screenshot of a 'PRINT' configuration dialog box, showing the following settings:

PRINT	
ExPM SERVER NAME:	expp1@abc.com
ExPM PROXY NAME:	expp-proxy1.comnet.com
CONTINUE TIME OUT:	60 SECOND
OK Cancel	

FIG. 4




FIG. 5




FIG. 6




FIG. 7

version-number	2 bytes	- required
operation-id (request) or status-code (response)	2 bytes	- required
request-id	4 bytes	- required
begin-attribute-group-tag	1 byte	
uri(0x45) or nameWithLanguage(0x36)	1 byte	
name-length (15) job-client-addr	2 bytes	
value-length (15)	15 bytes	
client-address(ex. 172.022.022.022)	2 bytes	
name-length (15) job-client-port	15 bytes	
value-length (4)	2 bytes	
client-port-number(ex. 3302)	4 bytes	
empty or rest of attribute	0 or more	
end-of-attributes-tag	1 byte	- required
data	y bytes	- optional

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13



1000110010111001

FIG. 14

		ROLE (WHEN CONNECTION)	ROLE (WHEN SERVICE)
CLIENT/ PROXY	ExPM CLIENT	Client	Client
	ExPM PROXY	Server	Server
PROXY/ SERVER	ExPM PROXY	Server	Client
	ExPM SERVER	Client	Server

FIG. 15




FIG. 16

40046822 01.12.02





FIG. 17



10046882 00112002

FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23






FIG. 24



100046282 - 01.1.2013

FIG. 25



40004559932 - 01127033

FIG. 26





FIG. 27



10046282 011202

FIG. 28




FIG. 29

PRINT	
ExPM SERVER NAME:	<input type="text" value="expp1@abc.com"/>
ExPM PROXY NAME:	<input type="text" value="expp-proxy1.comnet.com"/>
CONNECTION TIME OUT:	<input type="text" value="60"/> SECOND
<input type="button" value="OK"/> <input type="button" value="Cancel"/>	

FIG. 30

1000100010001000




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39

